## Dr. A P J Abdul Kalam Ignited Mind children creativity and innovation Awards Final Result 2023

## **AWARDS**

Sr, No.	I Nama	District	State and UTs	Class	School Name	Title	Problem	Idea Solution
1.	Aditya Raj Chopra	Ghaziabad	Uttar Pradesh	10th	DPS Indirapuram, Ghaziabad	Revolutionizing LED Lighting: The G.LED Bulb for Sustainability and Cost-Efficiency.	Reduces carbon emissions and earn carbon credits, by reduced use of plastic and aluminum in LED lightening Industries. It also reduces replacement cost for failed LED bulb.	LED bulbs and lights have 90% of their body by weight made up of plastic and aluminum having a life of more than 20 years. The rest 10% is the Lightning component PCBA-LED (Printed Circuit Board Assembly -with- Light Emitting Diodes). Whenever a LED bulb fails, it is only this PCBA-LED of the bulb that is required to be changed for a new one. Unfortunately, all these failed bulbs enter the garbage. As these LED bulbs have all their parts glued, soldered, screwed, and machine pressed, making them impossible to be economically repaired.  My Innovative G.LED bulb has only 3 assembly parts. Reusable Bulb body with Diffuser cap, and Replaceable PCBA-LED-Cartridge. Every time the LED bulb fails, just remove the PCBA-LED-cartridge by pulling it out by fingers and replace it with the new one by simply pushing it inside the slot, just like replacing a SIM card. The existing bulb now glows like a new bulb with negligible replacement cost. Hence, there is reduction in plastic and aluminum consumption and reducing carbon emissions and global warming.

2.	Udayshankar Ravikumar	Thammanam	Kerala	9th	Nalanda Public School, Thammanam	1) Voice interactive indoor navigation smartphone app for the Blind People	1) As of now the blind needs help of another person to navigate unfamiliar indoor spaces. My idea is for a voice interactive indoor navigation smartphone app for the blind which will allow easy navigation of unfamiliar indoor spaces like hospitals, government offices, train stations, airports	1) 3rDi 4 All is a smartphone android application for the blind that is used with voice interaction to navigate a pre-set path through turn-by-turn instructions and also gives real time audible warning to the user of any obstacles. The preset path has metadata about steps, elevators and such features. This indoor navigation application will provide voice cues to take the person to preset point of interest. By way of one example, a blind person entering an office asks the application the direction to the washroom. The app will give auditory directions and also warn if there is any obstacles on the way. This is implemented by using Google ARCore and Cloud Anchors. Obstacle avoidance is by using Depth API and the app is built using Unity.
						2) Remote Lane	and shopping centers.  2) Traffic congestion and	2) The invention, Remote Lane Reversal System,
						Reversal System:	blocks occur during rush	consists of a combination of gates fitted with servo
						A Portable	hour in the morning and	mechanism, electronic road signages with sensors and
						Solution for	evening in cities leads to a	Time of Flight cameras fitted on the gates, connected
						Efficient Traffic Management and Decongestion	great economic loss for the nation and the individual.	together with Internet of Things modules. This entire system is portable and can be placed or removed at
							My invention, Remote Lane Reversal System, solves	any point along the road. The system consists of two such units placed in the middle of the multi lane road,
							this issue by increasing the	at a distance from each other. As per the traffic needs,
							availability of lanes as per	a particular contraflow road lane is closed to allow
							the flow of traffic thus	rush hour (commuter) traffic to go through, thereby
							reducing the need for	increasing the availability of lanes to decongest rush
							costly infrastructure	hour traffic.
							investments.	

						3) CodeBhasha: Empowering Learning Through Native Language Coding Apps	3) Computer coding can be learnt only with English language. There is no native language computer coding software. It has been seen that learning in native language gives the best results in understanding science. My idea is to help children learn computer coding in their native language thus overcoming the need to learn English. I have made CodeBhasha an android app and ezr Malayalam coding language to overcome this problem.	3) I have made CodeBhasha and android coding app which can be used to learn computer code in native languages without the need for costly computers. As of now I have made ezr Malayalam where coding can be done in Malayalam language in the CodeBhasha android app. This can be implemented in any native language like Hindi, Sanskrit etc by just changing the syntax of the computer code. The programing language is made using Dot Net C# and the app was made in Unity.
3.	Oorjit Mahajan	Noida	Uttar Pradesh	12th	Shiv Nadar School, Noida	DextraBot: Empowering Lives	Project DextraHelp is an innovative endeavor with	Our flagship product - DextraBot is a cost-effective and non-intrusive device designed to assist individuals
						with Affordable	the potential to engender	afflicted with hand tremors caused by neuromuscular
						Tremor-Assistive	significant social impact	conditions that impair dexterity. The device aims to
						Technology and AI-	and empower older	empower these individuals by enabling them to
						Enhanced Insights	individuals (aged 45-75+)	perform daily activities such as eating and brushing
								perform daily detivities such as eating and brushing
							afflicted with hand	with dignity and self-sufficiency. The development of
							afflicted with hand tremors associated with	
								with dignity and self-sufficiency. The development of
							tremors associated with	with dignity and self-sufficiency. The development of DextraBot was preceded by an extensive review of
							tremors associated with severe neuromuscular	with dignity and self-sufficiency. The development of DextraBot was preceded by an extensive review of relevant literature and comprehensive surveys, which garnered over 500 responses. Developed at a fraction of the cost (2500 ₹/35\$) of the solutions available in
							tremors associated with severe neuromuscular Parkinson's disease and	with dignity and self-sufficiency. The development of DextraBot was preceded by an extensive review of relevant literature and comprehensive surveys, which garnered over 500 responses. Developed at a fraction of the cost (2500 ₹/35\$) of the solutions available in the market, the extremely accessible, user-friendly and
							tremors associated with severe neuromuscular Parkinson's disease and	with dignity and self-sufficiency. The development of DextraBot was preceded by an extensive review of relevant literature and comprehensive surveys, which garnered over 500 responses. Developed at a fraction of the cost (2500 ₹/35\$) of the solutions available in the market, the extremely accessible, user-friendly and the disruptive product is an external handheld
							tremors associated with severe neuromuscular Parkinson's disease and	with dignity and self-sufficiency. The development of DextraBot was preceded by an extensive review of relevant literature and comprehensive surveys, which garnered over 500 responses. Developed at a fraction of the cost (2500 ₹/35\$) of the solutions available in the market, the extremely accessible, user-friendly and

								forks, or toothbrushes. The IOT enabled state-of-the-art dual-axis gyroscopic stabilization system (Accelerometer Sensor Module - MPU6050) built with a reliable open-source electronics platform (Arduino Nano 33 BLE) with Li-Po batteries for power, and Servo Motors for dual axis correction, movement correction and attachment control, will ensure that the end of the handle remains stable even when the patient's hands shake. The current prototype boasts an ergonomic design, featuring a sturdy 3D-printed structure, designed using sophisticated CAD/CAM Software (Fusion 360), manufactured using PLA Filament, and comfortable rubber grips to optimize user comfort during prolonged usage. Furthermore, our future plans include the active integration of Artificial Intelligence-enabled Tremor Profiling Algorithms. This integration is designed to provide
								in real time, leveraging the data generated by the device.
4.	Saiansh Tapuriah	Gurugram	Hariyana	8th	The Shri Ram School, Moulsari	A wearable device to detect epileptic seizures and raise alarms on caregiver's mobile phone.	Alerting the caregiver of an epileptic patient when he/she is having a seizure	A wearable device to detect epileptic seizures and raise alarms on caregiver's mobile phone, thereby enabling immediate care and medical attention for the patient who is suffering an attack at that moment.  The innovation has two parts –  1. A wearable wristband containing a microcontroller with a sensor and Bluetooth connectivity.  2. A mobile application which connects to the wristband. It receives data from the microchip and raises an alarm

5.	Tuhin	Dhanbad	Jharkhand	11th	D.A.V. Public	Anushrawan	A problem of illegal	The present invention relates to a system for detecting
	Bhattacharjee				School, Koyla	(Anti-Theft	smuggling of natural	and preventing theft of loaded goods during
					Nagar, Dhanbad	Transportation)	resources during its	transportation from the origin to the destination. Once
					Dilaiibau	Transportation)	transportation,	the goods are loaded on the truck or vehicle, the initial
							e.g.transportation of	weight of the loaded goods to be transported is
							coal, sandalwood, etc.	recorded. After loading vehicle departs for its
							and disturbance of	respective delivery location. The proposed system as
							sustainable	illustrated in figure 1, comprising a microcontroller, Global Positioning System (GPS), load cell weigh bridge
							development of natural resources due to its	and Internet of Things/ Global System for Mobile
							illegal smuggling, leads	Communication (IoT/GSM) unit aims to track the real
							to overuse of natural	time location of the vehicle with the help of GPS and
							resources.	real time measurement of the weight of the loaded
								goods with the help of a load cell installed on the
								vehicle side. A weigh bridge or load cell is installed
								above ground level height underneath the vehicle or
								truck's trailer. The installed weigh bridge measures the
								goods weight throughout the transportation journey.
								The weigh bridge is operationally connected with Internet of Things/ Global System for Mobile
								Communication (IoT/GSM) unit, for the transportation
								or the vehicle to be tracked in urban area with IoT
								system and in rural areas in GSM system, so that a real
								time weight measurement of the loaded goods
								throughout the journey is transferred to the control
								room. All the information regarding real time activities
								of the vehicle including its location, goods weight,
								ignition, communication, etc. are sent to the control
								room through cloud, which is connected to the GSM/IoT.
								u3ii/101.
								The system is configured with a valve unit connected
								with the fuel supply pipe of the vehicle. Once any
								discrepancy is detected, the control room sends signal
								to the valve unit on the vehicle side through the
								IoT/GSM unit, and the fuel supply to the vehicle's
								engine gets stopped. When the fuel supply of the
								vehicle gets stopped, the vehicle driver gets alarm with help of an indicator installed on vehicle side.
								Therefore, the proposed system disclosed in the
								present invention stops any theft or illegal activity
								processing invention ocopo any there or megar activity

								regarding the goods transportation from the origin to the destination point. The proposed system facilitates the tracking and sending the real time location of the moving vehicle to the control room. Any illegal activity such as unloading goods before destination point or de-routing the vehicle is detected.
6.	RISHITA SAMANTARAY	Bhubaneswa r	Odisha	8th	KIIT INTERNATIO NAL SCHOOL	Devices installed at bus stops which informs conductors of pregnant women's presence	Unsafe travel for Pregnant Women	Devices installed at bus stops which inform conductors if pregnant women's presence
7.	Sindhoora Raja	Bangalore	Karnataka	10th	New Horizon Public School, Bangalore	Advancing Brain Age Prediction: Integrating Vascular Status Enhances Accuracy	More accurate brain age prediction could be useful for identifying individuals at risk for neurodegenerative diseases like Alzheimer's. Brain age models typically rely only on structural MRI, but cerebral blood flow measured with ASL MRI may provide complementary information about vascular dysfunction that occurs early in Alzheimer's disease. This	Methods  1. Used multimodal MRI data from 478 healthy adults covering a wide age range (24-86 years)  2. Structural MRI: T1-weighted images to derive gray matter, white matter, CSF volumes; FLAIR images to assess white matter hyperintensities  3. Arterial Spin Labeling (ASL) MRI: To measure cerebral blood flow (CBF)  Engineered features from structural MRI (volumes, tissue ratios) and ASL MRI (total and regional CBF, spatial coefficient of variation)  4. Evaluated different machine learning algorithms (linear, kernel, tree-based, clustering) to predict age using different combinations of features  5. Performed 100 iterations of 70/30 cross-validation to estimate model performance  Findings

							project investigates whether adding ASL- derived cerebral blood flow features to standard structural MRI features improves brain age prediction accuracy. More accurate models	1. Adding ASL-derived CBF features significantly improved prediction accuracy (reduced MAE by ~1 year) compared to structural MRI alone across all algorithms  2. Extra-trees ensemble with T1w+ASL features showed lowest error (MAE=4.49 years) Important features: Tissue volume ratios and vascular territory CBF from
							could better identify differences between chronological age and predicted "brain age" that may reflect neurodegeneration.	T1w and ASL respectively
8.	Akshara Gupta	Khatima	Uttarakhand	9th	SMS Dutta Memorial Nosegay Public School, Khatima	Safeguarding Health: Efficient Soldering Exhaust System for Poison Gas Mitigation	Problem Faced By Electrician During Soldering	The soldering exhaust system utilizes highly efficient ventilation with low cost. It incorporates an exhaust hood positioned directly above the soldering work area to capture and pull the toxic fumes or gases. The captured gases are then directed through a network of ducts to outlet. Further these gases can be collected to filter for further experiments.  Conclusion  By effectively removing poison gases from the soldering atmosphere, this exhaust system ensures the protection of workers' health and well-being. It minimizes their exposure to hazardous airborne pollutants, reducing the risks of respiratory issues and other health problems associated with soldering fumes.

9.	Dakshesh Sarda	Gurgaon	Haryana	9th	Amity International School, Gurgaon	Equilibrium in Nature: Mathematical Modeling for Sustainable White- Tailed Deer Population Management	Population Fluctuation	Using a mathematical model to solve population related problems in various animal species
10.	SHITAL MANDALAKA R	Navi Mumbai	Maharashtra	6th	NMMC SCHOOL NO 34, Navi Mumbai	Smart Beach Cleaner: Automated Solution for Efficient Beach Cleanup	Cleaning of Beach Manually by digging the sand and picking the waste without using hands	The smart beach cleaner consists of one automatic wheel made up of a net that filters the sand through the net and collects all waste material after elimination. The remaining sand will settle again on the beach.  Hand-driven or motor-operated machines will run on wheels and dig out the sand with the help of spikes placed at the front side. The excavated sand is then sifted into the mesh-like sieve. This sieve is continuously rotating and sifting the waste through the sand. Finally, after sifting the collected waste inside that mesh is shifted to the waste collector.  Advantages  a. Reduces the waste material from beaches and helps in maintaining cleanliness.  b. Reduces the direct contact with waste material like plastic, glass, syringes, etc.  c. Cleaning is done in a very effective way and in very little time.  d. Require very little manpower to clean the beaches.

11.	Alagulakshmi	Thailapuram	Tamil Nadu	9th	Govt Hr Sec School, Thailapuram	Simple Gear lock system for stand of motorcycle	It will prevent accident in gear bikes. which means remove mobyke stand with the help of a gear system. If you dont remove bike stand . you are not to able to move the mobyke	To help stop accidents, we need to be more careful when riding motorcycles. We should always pay good attention and not get distracted. For example, remember to put up the motorcycle stand before riding. If we are more careful like this, we can prevent accidents from happening.  This system is designed in such manner that a person is unable to start his motorcycle unless he pushes the stand upwards. Generally accidents occur because the motorcycle side-stand had not been pushed back after riding on the vehicle. It has developed a simple, low cost hook, which can be retrofitted to a two-wheeler, so That the user is unable to move his vehicle unless the side stand is pushed upwards and is made free from the ground. It is a small mechanical device which can be assembled and disassembled easily. It is very easy to fabricate.
12.	Dupesh Manjare	Bilaspur	Chhattisgarh	10th	Swami Avataranand Sevat	Wildlife Hazard Detection System: A Mobile Solution for Animal Detection and Safety Awareness		If we create a sensor using our mobile phones that can detect animals like snakes, scorpions, etc., around us, we will be alerted and become cautious. If we know there is no danger, we can venture into fields and forests without fear.
13.	Reena Dilkar	Bilaspur	Chhattisgarh	10th	The Gurdian and Guide Public School	Special type Bluetooth glasses		For those who cannot see, a special Bluetooth glasses will be equipped with a sensor to detect obstacles, making it easier for them to walk on the road. These Bluetooth glasses will guide them to their homes or specific places, indicating directions. These glasses will connect with their phones' location, and if they wish to read something, the sensor of the Bluetooth glasses will read those words into their ears, allowing them to hear them. This will enable them to comprehend the content by listening. This is my idea for the convenience of people. To make this, we'll need glasses, a Bluetooth device, and a sensor (similar to the one found in mobile phones, but this sensor will work when touched).

	Sufiyan Mohammed Hanif Patel	Jalgaon	Maharashtra	8th	Tapti Public School, Bhusawal, Maharashtra- 425202	HI-TECH Two Wheeler with Cooling and Heating Mechanism and other Safety for Two Wheeler Rider	Motorcycle are one of the most affordable forms of motorised transport in many parts of world. There are millions motorcycle In use worldwide. Two wheeler riders have a lot of difficulty during summers due to heat and winter due to cold ad safety problem also. Hence there is a need for a cooling and heating and safety system in motorcycle adapted to obviate the above problem.	There are mainly four parts in the A C System 1) COMPRESSOR 2)CONDENSOR 3) EXPANSION VALVE /CAPILLARY TUBE 4) EVAPORATER/COOLING COIL AND 5) FOUR WAY  REVERSING VALVE (For changing from cooling mode to heating mode)  As soon as the A C is switched on the compressor is started by engine of motorcycle the compressor then push the gas towards the condenser where the gas gets cooled by the outside air and is converted in to liquid form further this liquid is passed through the capillary tube to cooling coil box the liquid absorbs the heat from air and is converted in to gas again. In turn the air is cooled is then circulated through the flexible pipe to the jacket of the driver.  The 4-way Reversing valve allows an inversion of the air conditioning cycle, changing from cooling mode in summer to heating mode in winter.  There is provided a wearable jacket adapted to be worn by a motorcycle rider. The jacket is an insulated jacket, The jacket comprises at least an inflow insulated conduit communicably coupled for allowing inflow of air from the air conditioning compressor to the jacket. Further, the jacket comprises at least an outflow insulated conduit communicably coupled for allowing outflow of air from the jacket towards the air conditioning compressor, AC System.  SAFETY SYSTEM FOR RIDER:- 1) Side stand alarm safety system, 2) Key and mobile phone safety system (Magic key).
--	------------------------------------	---------	-------------	-----	----------------------------------------------------------------	-----------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

15	Zeba Siddiqui	Bilaspur	Chhattisgarh	12th	M.G.M School, Bilaspur, Chhattisgarh	Suicide Prevention Bot	Many people, including children and adults, feel pressured by their families, society, or fear of failure. This can lead to feelings of hopelessness and suicidal thoughts. Often, they have no one to talk to because they fear being judged.	Create a bot that people with suicidal thoughts can talk to without fear of judgment. This bot will provide a safe space for them to share their feelings and get solutions to their problems. This can help save lives by offering support and guidance when they need it most.
16	Ekta Dewangan	Bilaspur	Chhattisgarh	11th	St. Xavier's High School, Bilaspur, Chhattisgarh	Ceiling Wall with Puzzle in Dental Clinic to divert attention from pain	Dental treatments can be painful and take a long time, especially for kids. This makes them feel scared and restless, which can make it hard for dentists to do their work properly.	Put a bright, colorful puzzle on the ceiling of the dental clinic. This will distract kids and make them focus on the puzzle instead of the pain. It will make the visit more fun for kids and help dentists do their job without getting disturbed.